

## Anodized T Slot Assembly Stage Aluminium Profile

### Basic Information

- Place of Origin: China
- Brand Name: Hentec
- Certification: CA ,CE ,ISO14001:2004, ISO9001:2000
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



### Product Specification

- Product Name: Industrial Aluminium Profile
- Alloy: 6063
- Material: Aluminum
- Surface Treatment: Fluorocarbon Powder Spray Coated /PVDF Paint, Drawbench, Steel Polished
- Deep Process: Milling, Drilling, Bending, Cutting
- Temper: T4, T5, T6
- Highlight: **T Slot Stage Aluminium Profile, Anodized Stage Aluminium Profile, Anodized Assembly Aluminium Profile**



## Product Description

### Anodized Industrial Aluminium Profile System / T - Slot Assembly Stage / Aluminum Assembly Line

The versatility of MetalPlus's t-slot aluminum framing systems makes them ideal solutions for machine bases and frames, linear slide systems, safety guarding and enclosures, worktables, and structural framing, as well as for use in materials handling systems.

More Information:

Size	10/15/20/25/30/35/40/45/50/55/60/65/70/75/80/85.....series and Custom Made size
Grade	6061/6063-T5/T6
Standard	GB/5237-2004
Certification	ISO9001
Material	Aluminum
Color	Clear, Black, any custom-made colors for options.
Surface	Mill finish,Anodizing,Sand Blasting,Powder Coating,Etc
Deep Processing	Machining,Cutting,Drilling,Threading,Bending,Etc
Used	Building,Industry,Machinery,Assembly stations,Cellular manufacturing workstations,Linear motion devices and other purposes....



### Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.



### Specifications:

#### 1.Primary Technical Data

1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest

6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest
------	---------	------	-----	-----	----------	-----	-----	-----	------	------

## 2)Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

公司图号	图 样	线密度 kg/m
HT-745		1.292
HT-746		0.786
HT-747		2.524
HT-749		0.464
HT-750		0.808
HT-751		1.616

公司图号	图 样	线密度 kg/m
HT-752		1.646
HT-753		2.952
HT-754		2.015
HT-767		1.522

## Competitive Advantage:

- 1)Engineering design and support.
- 2)Aluminum profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
- 3)High Quality system, strictly inspection during production and whole inspection before package.
- 4)Good performance, product warranty for 15 years.



