



## Sandblasting Extruded Aluminum Enclosure ISO9000 / Embedded Motion Controller Box

Our Product Introduction

for more products please visit us on [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

### Basic Information

- Place of Origin: China
- Brand Name: MetalPlus
- Minimum Order Quantity: 500KG
- Packaging Details: wooden case , pallet



### Product Specification

- Material: Aluminum
- Warranty: 15years
- Application: Electrical Cover
- Surface: Sandblasting / Anodizing
- Color: Customized
- Logo: Silk Screen
- Highlight: **ISO9000 Extruded Aluminum Enclosure, Embedded Motion Controller Extruded Aluminum Enclosure**  
**, Electrical Cover Customized Extruded Aluminum Enclosure**



### More Images



## Product Description

### Anodized Extruded Aluminum Enclosure / Embedded Motion Controller Box

#### Surface Treatment

Mill finish	Raw materials aluminum ingot purity 100% performance to adopt various processing secondly
	Finish of aluminum itself with a natural anodic layer formed in the air , weak corrosion resistance
Anodizing	Oxidation film thickness more than 10um , even color , without mechanical lines, corrosion-resistant , durable ,shinning and decorative.
	Available in different colors like metal silver, champagne, dark bronze, black, and the same color with matt effect
Electrophoresis	20 years quality assurance, color elegantly and even color, surface without grain, glossy surface, corrosion-resistance, highly-wear resistance , high surface and brightness
	Available in different colors like metal silver, champagne, black, and the same color with matt effect
Powder coating	Film thickness more than 40 um , surface smoothly , colorful products with various mechanical performance to adopt all kinds of architechtrual style
	Available in all kinds of color
Wooden grain	New technology in finishing to form a texture look like real wood . 20 years quality assurance, corrosion-resistance, durable , shining and decorative.
	Available in types of wood pattern. Hand touch or film transferring are both available. Customized accepted.
Polishing	By buffing and chemical process to form mirror like finish, suitable for decorative application
	Available in all kinds of color
Brushed	By brushing and chemical process to form shining with line, suitable for decorative application
	Available in all kinds of color

#### Order,payment,terms,shipment

- 1, Minimum order: 500kg per trial order 1 piece of sample free of charge provided by approval and kept for future mass production.
- 2, Sample Lead Time: 25 working days(15 days for making the tool and 10 days making the samples. Before sending the samples to customer, samples should pass strict test in our lab. )Production Lead time: it depends on customers' order quantity ( 30 working days after deposit).
- 3, Payment: (Can negotiate with customers, our usual practices are as follow)
- 4, Tooling:100% prepaid by T/T.
- 5, Parts:30% upon order confirmation and balance before delivery by T/T

#### Applications:

Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

#### Competitive Advantage:

- 1.good quality aluminium profile with economic price
- 2.Advanced technical equipments
- 3.Strong R&D team to meet the various needs .
- 4.15-year manufacturing experience
- 5.ISO9000
- 6.100% strict quality testing before delivery .


#### Extrusion Line :



**Anodizing Line :**



**CNC Machining Work Shop :**



**Packing Work Shop :**



#### **FAQ For Saving Your Precious Time!**

Q1:What's the thickness for anodizing?Can you do 15um?

A:Our normal thickness is about 10 um.Yes, we can do 15um and above.

Q2:What color you can do for powder coating?The thickness for powder coat?

A:We can do any color for powder coat as long as you can provide the color sample.Our normally powder coating thickness is 60-80um.

Q3:What color you can do for wood grain?

A:Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah I, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc.If you need any other colors, we can do according to the color samples you provide.

Q4:How's the weather resistance for wood grain finish D1010?

A:(1).Powder:Akzo Noble Interpon D1010.

(2).Wood grain film:Italian Memphis.

(3).Standard complied:American AAMA Standard.2603

(4).UV test:1000 hours.

(5).Salt spraying test:1000 hours.

(6).Normal weather:10 years color guarantee.

Q5:What certification do you have?What's your standard?

A:We have ISO certification.Our standard is DIN, AAMA, AS/NZS, China GB.

Q6:What's the delivery time for samples and mass production?  
A:(1).2-3 weeks to make the new moulds and make free samples.  
(2).3-4 weeks after receipt of deposit and confirmation of the order.



 +86-13861643436     [aluminum@hentec.com.cn](mailto:aluminum@hentec.com.cn)     [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421