

Scratch / Peeling Aluminum Extrusions Profiles With Finished Machining

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 ton
- Ep paper ,kraft ,pallet • Packaging Details:

China HT

CA ,CE

KTH-007

25days

- Delivery Time:
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month





Product Specification

- Product Name:
- Alloy:
- Material:
- Suface Treatment:
- Deep Process:
- T4, T5, T6, T66
- Temper: • Highlight:

Milling,	Drilling,	Bending,Cutting

6063,6061,6005

Aluminum

heatsink extrusion profiles, aluminium extrusion heat sink profiles

Aluminum Heatsink Extrusion Profiles

Mill Finished, Anodized , Electrophoretic Coated, Powder Spray Coated

for more products please visit us on aluminumextrusion-profiles.com

Descrition:

Hentec Industry is dedicated to the development, manufacture and marketing of high-performance aluminum extrusion profiles . We pride ourselves on rapid sampling, flexible production methodologies and world-class technical support to our customers. We have significant experience in the thermal management arena and look forward to working with our customers, wherever they are in the world, and however demanding their needs are. And now, our products have been sold in more than 1000 global customers.

Item	6060 - T5 Aluminum Heatsink Extrusion, With Finished Machining, Anodized			
Characteristics of mechanics 1, Tensile strength: ≥ 205 N/mm2 2, Yield strength: ≥ 110 Mpa 3, Hardness(HW): ≥ 8				
Appearance	Appearance 1, No obvious Crack, Scratch, Peeling, Corrosion and air bubble 2, Hang mark is accepted at two end of the profiles, but should less than 10mm			
Application 1, Architecture: Windows and Doors, Curtain Walls, Shutter, Louver, Barrier, Fence, Ceiling, Application 2, Industrial: tube, pipe, LED strip, heat-sink, motor housing, fins, tent, solar, Vehicle beam, TV Fra 3, Furniture: Chair, Wardrobe, Cabinet, Ladder, Closet, Tile Trim				
Products Feature	1, Environmentally Friendly, Elegant appearance 2, Corrosion-Resistant, Abrasion Resistant, High Weather Resistant 3, Air-Proof, Water-Proof, Anti-Aging, Durable, Shining			

Al Rest Rest Rest

Rest

Applications:

Aluminum heat sink is widely used on Machines , cars , lighter ...

0.1

Specifications:

1. Primary Technical Data

	1)Che)Chemical composition								
	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity
	6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15
	6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15
l	6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15

0.40-0.6 0.1

0.1

0.1

0.15

2) Mechanical property

0.1

6005 0.6-0.9 0.35

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	Т5	≥ 160Mpa	≥ 110Mpa	≥8%
	Т6	≥ 205Mpa	≥ 180Mpa	≥8%
6061	Т6	≥ 265Mpa	≥ 245Mpa	≥8%



Competitive Advantage: We can offer professional Manufacturing and exporting service, OEM/ODM for Metal & Plastic parts in China. All the parts manufactured by CNC Lathe & Milling Machine Center.



HENTEC Hentec Industry Co.,Ltd

& +86-13861643436

aluminum@hentec.com.cn (2) aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421