Basic Information

. Place of Origin: China • Brand Name: Hentec Minimum Order Quantity: 500KG

 Packaging Details: EP Foam, Pallet, Wooden Case



Product Specification

Material: Aluminum • Surface: **Bright Anodize** • Warranty: 15years

• Alloy: 6063/6060/6005/6061

• Water Proof: Water Proof Silk Screen • Logo:

• Highlight: aluminum electrical enclosures, extruded aluminum enclosure boxes

Product Description

Bright Black Anodizing Aluminum Electrical Shell / 6063 / 6061 / 6005

Advance:

Our Advance

- (1).Direct from factory
- (2).Low(1-2%)scrap rate
- (3). All kinds of metal&plastic material is available
- (4). High Tolerance: +/- 0.02mm(Metal shaft), +/-0.03mm(plastic)
- (5). 100% inspection(offer QC report)
- (6). Sample is available
- (7). Short lead time (5-20 days).
- (8). One-stop customized service

Description:

Product Details

Item	Custom 6000 Series Anodised Aluminium Extrusion LED Profile				
Material	Aluminium 6000 series alloy: such as 6063 6005 6061				
Temper	T4 T5 T6				
length	3-6 Meter per piece, or as your inquire				
Shape	Round, square, flat, hollow, oval, triangle, U-profile, L-profile, T-profile, customized available				
Thickness	General profile Thickness: 0.7 - 5.0mm				
Deep process	CNC ,drilling ,milling ,cutting ,bending ,tapping ,welding ,assembling ,punching				

Surface treatment

Surface treatment	Mill-finish,Anodized,Powder coated,Electropheresis,Wood grain,Brushed, Polishing					
Anodized thickness	8 - 25um					
Anodized Color	Silver,black,chanpagne,bronze,gold or customized					
Electropheresis Color	Silver,black,chanpagne,bronze,gold or customized					
Powder coated Color	All color by RAL ,or customer's color sample					
Powder coated thickness	40 - 120um					
Wood grain	customized					
Guarantee	surface Brightly can be stable for 10 - 20years					

Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.



Specifications:

1.Primary Technical Data

1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2)Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
0003	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

2.Specifications:

Excellent material for smooth and subtle edges.

Elegant appearance.

Surface treatment: colorful anodized or electrostatic powder coated.

Suitable for constructions and other industrial purposes.

Customized surface finishes are welcome.

Competitive Advantage:

- 1) Engineering design and support.
- 2) Aluminum profiles deeply processing: cutting, punching, drilling, milling, and fabricating.
- 3)High Quality system, strictly inspection during production and whole inspection before package.
- 4)Good performance, product warranty for 15 years.



