Our Product Introduction



T5 T6 Large Extruded Aluminum Heatsink Profiles For Machine High Precision


Basic Information

Place of Origin: China
Brand Name: HT
Certification: CA ,CE
Minimum Order Quantity: 1 ton

Packaging Details: Ep paper ,kraft ,pallet

Delivery Time: 20daysPayment Terms: T/T ,L/C

• Supply Ability: 100 000ton each month



Product Specification

Product Name: Aluminum Heatsink Extrusion Profiles

Alloy: 6063,6061,6005Material: Aluminum

Suface Treatment: Mill Finished, Anodized , Electrophoretic

Coated, Powder Spray Coated

• Deep Process: Milling, Drilling, Bending, Cutting

• Temper: T4, T5, T6, T66

• Highlight: heatsink extrusion profiles,

aluminium extrusion heat sink profiles

Product Description

Descrition:

Hentec Industry is dedicated to the development, manufacture and marketing of high-performance aluminum extrusion profiles . We pride ourselves on rapid sampling, flexible production methodologies and world-class technical support to our customers. We have significant experience in the thermal management arena and look forward to working with our customers, wherever they are in the world, and however demanding their needs are. And now, our products have been sold in more than 1000 global customers.

Item	T4 T5 T6 large extruded Aluminum Heatsink Profiles For Machine, High Precision					
Surface Treatment	Polishing, Powder coating, Spraying, Anodising, Zinc Plating and etc					
Tolerance	+/-0.02~0.05mm					
Equipments	a) CNC Machining Center b) Extrusion Mchine c) CNC Milling Machines d) Punching Machines e) Precision Cutting Machines f) Argon Welding Machines g) NC Bending Machine h) Anodized /Powder painted line					
Preferred Formats	JPEG, PDF,CAD,IGS,STP					
Preferred Industries	a) Communication Equipments b) Medical Equipments c) House Hardware d) Toy Air soft e) Mechanical Equipments f) Other customized Parts					

Applications:

Aluminum heat sink is widely used on Machines, cars, lighter ...

Specifications:

- 1. Primary Technical Data
- 1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2) Mechanical property

	Alloy	Temper	Tensile strength	Yield strength	Elongation
	6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	0000	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
	6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%



Competitive Advantage:
We can offer professional Manufacturing and exporting service, OEM/ODM for Metal & Plastic parts in China. All the parts manufactured by CNC Lathe & Milling Machine Center.



⇒HENTEC Hentec Industry Co.,Ltd



+86-13861643436





Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421