# **Waterproof Aluminum Extruded Shapes Powder Painted Aluminum Connection Box**

## **Basic Information**

. Place of Origin: China . Brand Name: Hentec SGS · Certification: Minimum Order Quantity: 1 ton

Packaging Details: Ep paper ,kraft ,pallet

Delivery Time: 20days T/T ,L/C • Payment Terms:

• Supply Ability: 100 000ton each month



# **Product Specification**

• Product Name: Industrial Aluminium Profile

• Alloy: 6063,6061,6005 • Material: Aluminum

Suface Treatment: Mill Finished, Anodized , Electrophoretic

Coated, Powder Spray Coated

• Deep Process: Milling, Drilling, Bending, Cutting

T4, T5, T6, T66 • Temper:

· Highlight: aluminium extrusion profiles, aluminium extruded profiles

### **Product Description**

#### Waterproof Aluminum Extruded Shapes Powder Painted Aluminum Connection Box

#### **Basic Info**

Form: All- packaged Type Operation Voltage: Low Voltage

Size: 70\*120\*70mm

Application Range: High-rise Buildings

Shell Material: Aluminum Appearance: Nice Protection Level: IP66

Kind: Electronics Enclosure Box Color: Grey Body/Clear Cover Sample Service: It Is Provided

Feature: Waterproof and Moistureproof

Series: Electronics Box Export Markets: Global **Additional Info** 

Packing: Standard Export Packing

Standard: CE, ROHS Origin: China (Mainland)

Spcification:

- 2. 1.1/4 weight of metal box enables easy carriage and efficient work.
- 2.2. Corrosion-resistant and superior insulation.
- 2.3. Waterproof and dust-free product which gets through strict quality inspections.
- 2.4. Proved quality in many related tests(IP 66).
- 2.5. Convenient to use for console-alternative rail and button box, mini terminal, signal box, gauge/meter console, communication connection box and etc.
- 2.6. Passed IP-66~67, IK-08

#### **Product Detail:**

- 3.1. Internal mounting holes: Internal mounting rails with fixed terminals PCB
- 3.2. Box body fixed: The dark nut fixed box body more beautiful
- 3.3. Seal ring: Rubber waterproof ring waterproof, moisture-proof, dust-proof
- 3.4. Openings: Multiple openings slots left, different sizes, openings according to your requirements.

# Order,payment,terms,shipment

- 1, Minimum order: 500kg per trial order 1 piece of sample free of charge provided by approval and kept for future mass production.
- 2, Sample Lead Time: 25 working days(15 days for making the tool and 10 days making the samples. Before sending the samples to customer, samples should pass strict test in our lab. )Production Lead time: it depends on customers' order quantity ( 30 working days after deposit).
- 3, Payment: (Can negotiate with customers, our usual practices are as follow)
- 4, Tooling:100% prepaid by T/T.
- 5, Parts:30% upon order confirmation and balance before delivery by T/T

#### Applications:

Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

#### Competitive Advantage:

- 1. good quality aluminium profile with economic price
- 2. 15-year manufacturing experience
- 3. ISO9000
- 4. ODM or OEM





## **FAQ For Saving Your Precious Time!**

Q1:What's the thickness for anodizing?Can you do 15um? A:Our normal thickness is about 10 um. Yes, we can do 15um and above.

Q2:What color you can do for powder coating?The thickness for powder coat?

A:We can do any color for powder coat as long as you can provide the color sample.Our normally powder coating thickness is 60-80um.

Q3:What color you can do for wood grain?

A:Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah I, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc.If you need any other colors, we can do according to the color samples you provide.

Q4:How's the weather resistance for wood grain finish D1010?

A:(1).Powder:Akzo Noble Interpon D1010.

- (2). Wood grain film: Italian Menphis.
- (3). Standard complied: American AAMA Standard. 2603
- (4).UV test:1000 hours.
- (5). Salt spraying test:1000 hours.
- (6).Normal weather:10 years color guarantee.

Q5:What certification do you have?What's your standard?

A:We have ISO certification. Our standard is DIN, AAMA, AS/NZS, China GB.

Q6:What's the delivery time for samples and mass production?

A:(1).2-3 weeks to make the new moulds and make free samples.

(2).3-4 weeks after receipt of deposit and confirmation of the order.

# **→ HENTEC** Hentec Industry Co.,Ltd

