



## Solid Aluminum Extrusion Profiles , Led Lightling Extruded Heat Sink

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Hentec
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



### Product Specification

- Product Name: Aluminum Heat Sinl
- Alloy: 6063,6061,6005
- Material: Aluminum
- Suface Treatment: Mill Finished,Anodized ,Electrophoretic Coated,Powder Spray Coated
- Deep Process: Milling, Drilling, Bending,Cutting
- Temper: T4, T5, T6 ,T66
- Highlight: **aluminium extruded profiles,  
aluminum extruded shapes**

for more products please visit us on [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

## Product Description

### Solid Aluminum Extrusion Profiles , Led Lightling Extruded Heat Sink

#### Product Description

|                   |  |
|-------------------|--|
| Model             | Aluminum Heatsink for LED Light D90 solid 26mm 12W or 15W                                  |
| Material          | Aluminum extrusion heatsink  |
| Size              | Diameter90mm*thickness 30mm  |
| Application       | LED heat dissipation for 12W or 15W watt, (LED light, LED tracking light, indoor lamp ect) |
| Surface Treatment | Shinny silver color anodization or others  |
| Process           | Cut, drilling, tapping, burring, anodization, package                                      |
| Quality           | Export European High quality standard  |
| Assembly          | 4pcs M2.5 mounted screws for PCB and led   |
| Sales destination | All around the world   |
| Support           | Shenzhen Chinabright Tech Limited  |

#### Production Description

1. Type: extruded heat sink
2. Any size and surface finish can be customized
3. ROHS and ISO 9001 Certificates
4. OEM and ODM is welcome
5. Application: Medical / Communication/ Automotive Electronics equipment ,Home Appliances...

#### Our Services

##### 1)Product type:

1. extruded heatsink
2. heat pipe heat sink
3. skiving fin heat sink
4. stamping heat sink
5. die casting heat sink
6. precision CNC machining heat sink
7. heat pipe

##### 2)Process:

extrusion, skiving fin, stamping, die casting, precision CNC machining, drilling, milling, bending, soldering, etc

##### 3)Surface finish:

anodizing, electrophoresis, nickel plating, sandblasting, power plating, wire drawing, polishing, anti-oxidation coating, etc.

##### 4)Application:

1. Computer fields: computer mainboard, PC, IPC, Server, PCTV, Router, Power supply (CPU cooler, VGA cooler, Cooling fan)
2. Home appliances: pico projector, electronic refrigerator, red wine cooler, LASER TV, LCD TV, LED panel, Sound, Air condition, induction cooker, etc.
3. LED lighting: stage light, high bay light, down light, street light, automobile lamp ,etc.
4. Security fields: security cameras, infrared light cameras.
5. Machines: Industry/Medical/Military machines.

#### Packaging & Shipping

Packaging: standard export package, we can also accept other requirements from client.

Payment:

1. We can accept the Payment T/T..
2. The payment for the high value sample will be charged, and will be returned to you after confirming the mass production.
3. The payment for the low value sample is free, but the freight should be covered by you.

##### Shipping:

1. The sample will be shipped by express, like FEDEX, DHL, UPS and EMS.
- And the freight should be paid by clients.
2. FOB Shanghai for mass production. The freight will deal with you for the concrete condition.
- Delivery Time: 1 or 2 weeks after confirming all informations.

##### Competitive Advantage:

1. good quality aluminium profile with economic price
2. 15-year manufacturing experience
3. ISO9000
4. ODM or OEM



#### FAQ For Saving Your Precious Time!

Q1:What's the thickness for anodizing?Can you do 15um?

A:Our normal thickness is about 10 um.Yes, we can do 15um and above.

Q2:What color you can do for powder coating?The thickness for powder coat?

A:We can do any color for powder coat as long as you can provide the color sample.Our normally powder coating thickness is 60-80um.

Q3:What color you can do for wood grain?

A:Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah I, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc.If you need any other colors, we can do according to the color samples you provide.

Q4:How's the weather resistance for wood grain finish D1010?

A:(1).Powder: Akzo Noble Interpon D1010.

(2).Wood grain film: Italian Memphis.

(3).Standard complied: American AAMA Standard.2603

(4).UV test:1000 hours.

(5).Salt spraying test:1000 hours.

(6).Normal weather:10 years color guarantee.

Q5:What certification do you have?What's your standard?

A:We have ISO certification.Our standard is DIN, AAMA, AS/NZS, China GB.

Q6:What's the delivery time for samples and mass production?

A:(1).2-3 weeks to make the new moulds and make free samples.

(2).3-4 weeks after receipt of deposit and confirmation of the order.