



## T5 Temper Extruded Aluminum Shapes Anti - Corrosion Aluminum Radiator

Our Product Introduction

for more products please visit us on [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

### Basic Information

- Place of Origin: China
- Brand Name: Hentec
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



### Product Specification

- Product Name: Aluminum Heat Sinl
- Alloy: 6063,6061,6005
- Material: Aluminum
- Surface Treatment: Mill Finished,Anodized ,Electrophoretic Coated,Powder Spray Coated
- Deep Process: Milling, Drilling, Bending,Cutting
- Temper: T4, T5, T6 ,T66
- Highlight: **aluminium extrusion profiles,  
aluminum extruded shapes**

## Product Description

### T5 Temper Extruded Aluminum Shapes Anti - Corrosion Aluminum Radiator

#### Production Description

1. Type: extruded heat sink
2. Any size and surface finish can be customized
3. ROHS and ISO 9001 Certificates
4. OEM and ODM is welcome
5. Application: Medical / Communication/ Automotive Electronics equipment ,Home Appliances...

Material	alloy 6063 6005 6060 6061
Temper	T5, T6
Surface treatment	anodizing, powder coating, wooden grain, sand blasting etc.
Color	any color is available; just bring us your color sample or color number
Style and size	customized
Deep processing	extrude, precious cut, punch, drill, tap, mill, rivet, weld etc.
Extruding machine	600-4500tons
Minimum order	1 ton for 6063, others to be 5-10 tons
Price term	aluminum profile price calculated by ton. FOB SHANGHAI
Quality	High corrosion resistance, high weather resistance and excellent wear resistance
Price	The price differs according to the customized surface treatment.
Certificates	ISO9001-2008 Quality System and ISO14001-2004 Environment System, BV, Rohs
Standard of Quality	According to the standard of China "GB/T6892-2006 High Degree Standard" or "GB/T5237-2000"
Type	With 20 years' experience, we are able to produce any type of aluminium profile you need
Widely usage	Widely used in construction, decoration and varied industry fields
Annual output	20000-30000 metric tons' aluminium extrusion

#### Our Services

##### 1) Product type:

1. extruded heatsink
2. heat pipe heat sink
3. skiving fin heat sink
4. stamping heat sink
5. die casting heat sink
6. precision CNC machining heat sink
7. heat pipe

##### 2) Process:

extrusion, skiving fin, stamping, die casting, precision CNC machining, drilling, milling, bending, soldering, etc

##### 3) Surface finish:

anodizing, electrophoresis, nickel plating, sandblasting, power plating, wire drawing, polishing, anti-oxidation coating, etc.

##### 4) Application:

1. Computer fields: computer mainboard, PC, IPC, Server, PCTV, Router, Power supply (CPU cooler, VGA cooler, Cooling fan)
2. Home appliances: pico projector, electronic refrigerator, red wine cooler, LASER TV, LCD TV, LED panel, Sound, Air condition, induction cooker, etc.
3. LED lighting: stage light, high bay light, down light, street light, automobile lamp ,etc.
4. Security fields: security cameras, infrared light cameras.
5. Machines: Industry/Medical/Military machines.

#### Packaging & Shipping

Packaging: standard export package, we can also accept other requirements from client.

Payment:

1. We can accept the Payment T/T..
2. The payment for the high value sample will be charged, and will be returned to you after confirming the mass production.
3. The payment for the low value sample is free, but the freight should be covered by you.

##### Shipping:

1. The sample will be shipped by express, like FEDEX, DHL, UPS and EMS.  
And the freight should be paid by clients.
  2. FOB Shanghai for mass production. The freight will deal with you for the concrete condition.
- Delivery Time: 1 or 2 weeks after confirming all informations.

##### Competitive Advantage:

1. good quality aluminium profile with economic price
2. 15-year manufacturing experience
3. ISO9000
4. ODM or OEM



#### FAQ For Saving Your Precious Time!

Q1:What's the thickness for anodizing?Can you do 15um?

A:Our normal thickness is about 10 um.Yes, we can do 15um and above.

Q2:What color you can do for powder coating?The thickness for powder coat?

A:We can do any color for powder coat as long as you can provide the color sample.Our normally powder coating thickness is 60-80um.

Q3:What color you can do for wood grain?

A:Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah I, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc.If you need any other colors, we can do according to the color samples you provide.

Q4:How's the weather resistance for wood grain finish D1010?

A:(1).Powder:Akzo Noble Interpon D1010.

(2).Wood grain film:Italian Memphis.

(3).Standard complied:American AAMA Standard.2603

(4).UV test:1000 hours.

(5).Salt spraying test:1000 hours.

(6).Normal weather:10 years color guarantee.

Q5:What certification do you have?What's your standard?

A:We have ISO certification.Our standard is DIN, AAMA, AS/NZS, China GB.

Q6:What's the delivery time for samples and mass production?

A:(1).2-3 weeks to make the new moulds and make free samples.

(2).3-4 weeks after receipt of deposit and confirmation of the order.