HENTEC **Hentec Industry Co.,Ltd** aluminumextrusion-profiles.com

6063 T5 Anodized Aluminum Extrusion Profiles Durable For **Elevator**


Basic Information

. Place of Origin: China • Brand Name: HTS-025 SGS · Certification: Minimum Order Quantity: 1 ton

Packaging Details: Ep paper ,kraft ,pallet

• Delivery Time: 20days Payment Terms: T/T ,L/C

• Supply Ability: 100 000ton each month



Product Specification

Highlight: aluminium extruded profiles, aluminum extruded shapes

Product Description

6063 T5 Anodized Aluminum Extrusion Profiles Durable For Elevator

Name	6063 T5 Anodized Aluminum Extrusion Profiles Durable For Elevator						
Material	Alloy 6063						
Temper	T5						
Surface Treatment	Anodized						
Color	Silver						
Length	Customized available						
Thickness	Customized available						
Mould Cost	1, Using our moulds, free						
	2,Using customer drawing, making mould. Mould fee can be returned over 5-10 tons order within one year						
	3, Can be discussed						
Package	Internal is protective film, exterior is craft paper, shrink film, non-woven fabric. Or according to customer's requirement.						
Capability	Annual output 15,000 tons						
Loading Port	Shanghai Port						
Payment Method	T/T or L/C at sight						

Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Specifications:

1.Primary Technical Data

1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2)Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
0003	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	Т6	≥ 265Mpa	≥ 245Mpa	≥ 8%

Competitive Advantage:

- 1) Engineering design and support.
- 2) Aluminium profiles deeply processing: cutting, punching, drilling, milling, and fabricating.
- 3) High Quality system, strictly inspection during production and whole inspection before package.
- 4)Good performance, product warranty for 15 years.



⇒HENTEC Hentec Industry Co.,Ltd

+86-13861643436





Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421