China HT

Ample Supply Carport Aluminum Solar Panel Frame / Solar Mounting Frame

Packed with EP ,Carton ,Pallet or wooden

Basic Information

- Place of Origin:
- Brand Name:
- Certification: CA ,CE
- Minimum Order Quantity: 1 ton
- Packaging Details:
- Delivery Time: 20days
 - /ment Terms: T/T ,L/C
- Payment Terms: T/T
- Supply Ability: 3000tons each month



Product Specification

- Product Name:
- Alloy:
- Material:
- Suface Treatment:
- Deep Process:
- Temper:
- Highlight:

6063,6061,6005 Aluminum

Aluminum Solar Panel Frame

- Mill Finished, Anodized, Electrophoretic Coated, Powder Spray Coated
 - Milling, Drilling, Bending, Cutting
- T4, T5, T6
- aluminium solar panel frame, anodized aluminum frame

for more products please visit us on aluminumextrusion-profiles.com

Product Description

Ample Supply Carport Aluminum Solar Panel Frame / Solar Mounting Frame

Product Description

Different Tyes Frame Aluminium Advertising Frames

- (1). Product: aluminium profile
- (2). 20 years warranty.
- (3). High corrosion resistance.(4). 5-10 years weather resistance.
- (5). Good wear resistance & anti-scratch.
- (6). Size customized.

More Information:

1.Material: Aluminium alloy 6063, 6061.

2.Temper: T5, T6.

3.Quality standard: DIN; AAMA; AS/NZS; CHINAGB.

4.Surface treatment: Mill finish, anodized, powder coated, wood grain, polished, brushed, electrophoresis, etc.

5.Color avalilable: Anyone is available based on your color samples.

6.Packing details: Shrinking film; Plastic & kraft paper; Wooden pallet Carton packing; By customer's requirements.

7.Samples Time: Normally, 2-3 weeks.

8.Delivery: 25-30 days for mass production.

9. Production Capacity: 6000MT/Month

10.MOQ: It's based on the drawings. Basically, it's 2 tons.

11.Port: Fuzhou; Xiamen; Shanghai; Guangzhou; As per requested.



Our Advantages!

1. 22 years' experiences of manufacturing .

2. STRONG R&D: Help customers finalize the design, strong tool design ability, excellent pressing and surface treament technology.

3.Strict quality management: ISO Administration system.

- 4. 24 hours on-line communication. Professional, Patient, Flexible.
- 5. High capacity of manufaturing and wide range of products.
- 6. Be able to provide secondary fabricating.
- 7. Small order is accepted.
- 8. Be able to provide one-stop supply solution.

for more products please visit us on aluminumextrusion-profiles.com

9. Multiple payment methods: TT, LC. DP,OA.

太阳能系列

HD太阳能系列型材图

新图号	401 100	线密度 kg/m	新图号	简图	线密度 kg/m
旧图号	简图		旧图号		
GT001	45.1	0.987	GT607	20	0.803
G701	45.1		G007	30	
GT002 角码为GT001		0.530 GT008 G008	GT008	₹	0.633
G702	35		G008		
GT003	\$.5 \$ 25	0.615	GT009	82 - 25 - 25	0.494
G795			G009		
GT004	8.5	0.466	GT010	30	0.496
G794			G010		
GT005	9 9 11.6 50	0.814	GT011	40 9	0.388
G590			G011		
GT006	¥	0.681	GT012	9 7 7 8	0.290
G591			G012		

HD太阳能系列型材图 国家免检

新图号	節图	线密度 kg/m	新图号	44 100	线密度 kg/m
旧图号			旧图号	简图	
GT013	40	0.372	GT019	-11.5 	0.665
G778	17		G599	35	
GT014	32	0.367	GT020	\$	0.400
G594	25		G846		
GT015		0.183	GT021	\$ 60	0.884
G595			Z081		
GT016	S S	0.248	GT022	21.6 23.2 0.0	1.228
G596			Z082		
GT017	SE 30	0.534	GT023	9	0.952
G597			Z083	67	
GT018	00	0.339	GT024	57.5	1.073
G598			Z084	50	

太阳能系列 Solar energy series

HD太阳能系列型材图


新图号	简图	线密度	新图号	600 Faut	线密度 kg/m
旧图号	1997 - 1998. 	kg/m	旧图号	简图	
GT025 角码为GT026	8.5 8.5	0.653	GT031	7.6 5E	0.548
G895	38		G893	30	
GT026	40.2	0.732	GT032	7.6 SE	0.279
G896	40.2		G894		
GT027 角码为GT026	8.5	0.424	GT033	464	1.711
G915	28		G913	46.4	
GT028 角码为GT026	8.5	0.524	GT034 角码为GT033	9 9 35	0.745
G916	35		G914		
GT029	42	1.300	GT035	11.5 05	0.398
G822	42		G222	Ļ	
GT030 角码为GT029	× 1	0.567	GT036	1.5 05	0.754
G823	35		G224	35	


HD太阳能系列型材图 国家免检

新图号	Ark 164	线密度	新图号	Adv but	始感症
(11) (11) (11) (11) (11) (11) (11) (11)		kg/m	前 图 旧图号		线密度 kg/m
GT037	52	0.172	GT052	4 t	0.728
G229				1	
GT038	S S S S	0.374	GT054		0.509
G230	25		角码为 GT052	35	
GT039	99 11.5	0.626			0.537
G889	30		角码为GT052	35	
GT040	46	0.756	GT061	33	0.161
G888	50			,	
GT041 1时为GT026	30	0.692	GT062 ×	<u>₹</u>	0.340
G187	35			25	_
GT042 1码为GT026	35	0.443	GT063	30	0.209
G789	35				

太阳能系列 Solar enemy service

HD太阳能系列型材图





213 线密度仅供参考,出货以实际磅重为准!

HD太阳能系列型材图 国家免检 新图号 新图号 线密度 kg/m 简图 简图 旧图号 旧图号 12 GT082 2 0.245 GT088 9 16.5 30 GT083 0.267 GT089 46 30 GT091 0.519 45 GT084 32 魚蚂为 GT092 G791 30 35 GT092 4 \$ GT085 0.646 ÷ G792 48 30 11.5 19 GT086 0.674 GT093 50 37 35 角码为 GT09--11.6 ī 0.655 6.9 40 GT087 GT094 35 线密度仅供参考,出货以实际磅重为准! 214

线密度 kg/m 0.677 0.558

> 0.580 0.967 0.832 1.519

Applications:

Competitive Advantage:

In addition to high quality ,we at Hentec office offer customer complete service .Our aluminum solar frame comes with a 15 year warranty .Maintenance service is also available .



HENTEC Hentec Industry Co.,Ltd

(+86-13861643436

aluminum@hentec.com.cn

aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421