HENTEC **Hentec Industry Co.,Ltd** aluminumextrusion-profiles.com

Ceiling Industrial Fan Blade Profile, Airfoil Extruded Aluminum Louvers

Basic Information

. Place of Origin: China HENTEC . Brand Name: CA,CE · Certification: Minimum Order Quantity: 500set

Packaging Details: Ep paper , pallet or wooden case

Delivery Time: 20days T/T ,L/C • Payment Terms:

• Supply Ability: 100 000sets each month



Product Specification

• Product Name: Industrial Fan Blade

• Item: Aluminum Extrusion Profile Of Industrial Fan

Blade

T4, T5, T6, T66 • Temper: • Surface: Anodize Material: Aluminum

Machining: 1. Milling; 2. Drilling; 3. Bending; 4. Cutting Highlight: exhaust fan blades, palm frond fan blades

Product Description

Ceiling Industrial Fan Blade Profile , Airfoil Extruded Aluminum Louvers

- 1. Alloy:6063,6061,6005,6060
- 2. erial:Aluminum
- 3. Temper: T4, T5, T6, T66
- 4. Suface Treatment: Mill Finished, Anodized , Electrophoretic coated, Powder spray coated, Fluorocarbon powder spray coated /PVDF Paint, Drawbench, Steel polished, Wood grain coated /Wooden transfer .
- 5. Deep process: Milling, Drilling, Bending, Cutting.
- 6. Application: Industry Aluminum profile used in cars, trains machinery, electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.
- 7. Color:clear, satin, bronze, black, golden, silver, other multicolor



Description:

Item	Anodized Industrial Fan Blade ,Airfoil Aluminum Extruded Section Louver					
Material	Alloy 6063, 6061 or according to customer's choice					
Temper	T4, T5, T6,T66					
Surface	Anodize (clear, satin, bronze, black, golden, silver, other multicolor), electrophoresis, powder coating, PVDF coating, wood grain painting, etc.					
MOQ	1 ton. Usually 12 tons for a 20 feet container; 24 tons for a 40 feet container.					
Profile type	Industry Aluminum profile used in industrial fan , cars, trains machinery ,trailers ,electronics, medical and other industrial filed .					
Machining	1. milling; 2. Drilling; 3. Bending; 4. Cutting					
Moulding	Using our moulds, free; 2. Using customer's drawing, opening mould fee need to be paid.					
Certificate	ISO14001:2004, ISO9001:2000					
FOB Port	Shanghai, etc.					

Specifications:

Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2) Mechanical property


Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
0003	Т6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

Competitive Advantage:

- 1) Engineering design and support.
- 2) Aluminium profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
- 3) High Quality system, strictly inspection during production and whole inspection before package.
- 4) Good performance, product warranty for 15 years.

Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.



⇒HENTEC Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421