



6063 / 6061 Industrial Aluminium Profile For Cylinder , Pump Body Aluminum Extruded Sections

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



Product Specification

- Product Name: Industrial Aluminium Profile
- Alloy: 6063,6061,6005
- Material: Aluminum
- Surface Treatment: Mill Finished,Anodized ,Electrophoretic Coated,Powder Spray Coated
- Deep Process: Milling, Drilling, Bending,Cutting
- Temper: T4, T5, T6 ,T66
- Highlight: **aluminum extrusion profiles, aluminium extruded profiles**

Product Description

6063 / 6061 Industrial Aluminium Profile For Cylinder , Pump Body Aluminum Extruded Sections

6063 / 6061 Industrial Aluminium Profile For Cylinder , Aluminium Pump Body Profiles for Cylinder

- 1) aluminum alloy:AL6063/6061/6005 or as for per customers's require.
- 2) finish. various anodizing colors,powder coating,painting or mill finish.
- 3) Surface treatmen: andozied,electrophoresis, powder coating(any color),mill finish,color painting,and so on
- 4) Length: according to clients' need
- 5) Packing: with plastic film and wrapped with kraft paper.or meet the clients' requires
- 6) Usage of the aluminum products: decoration,furniture,windows and door frame,curtain wall,conatruction,etc. We have the Extruding machine (4500T) .
- 7) Certificate: ISO9001.ISO14001



chemical component										
	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	other element	
									simplex	total
6060	0.30-0.60	0.10-0.30	0.10	0.10	0.35-0.60	0.05	0.15	0.10	0.05	0.15
6061	0.40-0.80	0.7	0.15-0.40	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.05	0.15
6063	0.20-0.60	0.35	0.10	0.10	0.45-0.90	0.10	0.10	0.10	0.05	0.15
6005A	0.50-0.90	0.35	0.30	0.50	0.40-0.70	0.30	0.20	0.10	0.05	0.15
6082	0.70-1.30	0.50	0.10	0.40-1.0	0.6-1.2	0.25	0.20	0.10	0.05	0.15
6101	0.30-0.7	0.50	0.10	0.03	0.35-0.80	0.03	0.10	N/A	0.03	0.10
6101B	0.30-0.6	0.10-0.30	0.05	0.05	0.35-0.6	N/A	0.10	N/A	0.03	0.10
6N01	0.5-0.9	<0.35	<0.35	0.50	0.4-0.8	<0.30	<0.25	<0.10	<0.05	<0.15
6005	0.6-0.9	0.35	0.10	0.10	0.40-0.60	0.1	0.10	0.10	0.05	0.15

Order,payment,terms,shipment

- 1, Minimum order: 500kg per trial order 1 piece of sample free of charge provided by approval and kept for future mass production.
- 2, Sample Lead Time: 25 working days(15 days for making the tool and 10 days making the samples. Before sending the samples to customer, samples should pass strict test in our lab.)Production Lead time: it depends on customers' order quantity (30 working days after deposit).
- 3, Payment: (Can negotiate with customers, our usual practices are as follow)
- 4, Tooling:100% prepaid by T/T.
- 5, Parts:30% upon order confirmation and balance before delivery by T/T

Applications:

Mainly used for industrial production , such as automation equipment , enclosure of the skeleton and the companies according to their own customized mold machinery and equipment , such as assembly line conveyor , hoist, dispenser, testing equipment, shelves , etc., electronic machinery industries and clean room with a gain majority.

Competitive Advantage:

1. good quality aluminium profile with economic price
2. 15-year manufacturing experience
- 3 .ISO9000
4. ODM or OEM



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421