# 40 \* 40 / 40 \* 80 / 80 \* 80 Industrial Aluminium Profile System For **Machinery**

# **Basic Information**

. Place of Origin: China НТ . Brand Name:

CA ,CE ,ISO14001:2004, ISO9001:2000 · Certification:

HTL003 Model Number: • Minimum Order Quantity: 1 ton

Ep paper ,kraft ,pallet Packaging Details:

. Delivery Time: 20days • Payment Terms: T/T ,L/C

Supply Ability: 100 000ton each month



# **Product Specification**

• Product Name: Industrial Aluminium Profile

• Alloy: 6063,6061,6005 • Material: Aluminum

Suface Treatment: Fluorocarbon Powder Spray Coated /PVDF

Paint, Drawbench, Steel Polished

• Deep Process: Milling, Drilling, Bending, Cutting

T3, T4, T5, T6 • Temper:

· Highlight: modular aluminium profile system,

aluminium extrusion frame system

# **Product Description**

### 40\*40 / 40\*80 / 80\*80 Industrial Aluminium Profile Of Assembly Line For Machinery , With Cutting , Drilling , Tapping

#### **Aluminum Features:**

- ${\bf 1}$  ) Industrial aluminum surface after oxidation , the appearance is very beautiful, and dirt
- 2) oil is easy to clean once painted, assembled into products, depending on the load-bearing profiles of different specifications, and aluminum parts using the companion
- 3) does not require welding, more environmentally friendly, and the installation, removal, carry, move very convenient.

#### Description:

Item	40*40 / 40*80 / 80*80 Industrial Aluminium Profile Of Assembly Line For Machinery , With Cutting , Drilling , Tapping			
Material	Alloy 6063, 6061,6005 or according to customer's choice			
Temper	T3, T4, T5, T6			
Surface	Anodize (clear, satin, bronze, black, golden, silver, other multicolor) , electrophoresis, powder coating, PVDF coating, wood grain painting, etc.			
MOQ	1 ton. Usually 12 tons for a 20 feet container; 24 tons for a 40 feet container.			
Profile type	Industry Aluminum profile used in cars, trains machinery ,trailers ,electronics, medical and other industrial filed .			
Machining	High-precision machining 1. milling; 2. Drilling; 3. Bending; 4. Cutting			
Moulding	Using our moulds, free; 2. Using customer's drawing, mould fee need to be paid.			
Standard	GB/T5237-2004, GB/T6892-2000			
FOB Port	Shanghai, etc.			

- 1.Alloy:6063,6061,6005 or according to customer's choice
- 2.Material:Aluminum
- 3.Suface Treatment: Mill Finished, Anodized , Electrophoretic coated, Powder spray coated, Fluorocarbon powder spray coated /PVDF Paint, Drawbench, Steel polished, Wood grain coated /Wooden transfer .
- 4.Deep process: Milling, Drilling, Bending, Cutting.
- 5.Application:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

6.Color:clear, satin, bronze, black, golden, silver, other multicolor

7.Temper: T4, T5, T6, T66

#### Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

# Specifications:

## 1.Primary Technical Data

### 1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

#### 2)Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
0000	Т6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

公司图号	# 16	载密度 kg/m	
HT-745	40	1.292	
HT-746	30	0.786	
HT-747	50	2.524	
HT-749	20 20 20 20 20 20 20 20 20 20 20 20 20 2	0.464	
HT-750	7.2 40 6.2	0.808	
HT-751	60 8.2 10.4	1.616	

公司图号	# 16	线密度 kg/m
HT-752	40	1.646
HT-753	80 8.2 10.2	2.952
HT-754	45 27 27 27 38.2	2.015
HT-767	25 25 25 25 25 25 25 25 25 25 25 25 25 2	1.522

# Competitive Advantage:

- 1)Engineering design and support.
  2)Aluminum profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
  3)High Quality system, strictly inspection during production and whole inspection before package.
  4)Good performance, product warranty for 15 years.



# **⇒HENTEC** Hentec Industry Co.,Ltd

+86-13861643436

aluminum@hentec.com.cn aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421