

6063 / 6061 / 6005 Aluminium Profile System Special Fittings

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: HT
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



Product Specification

- Product Name: Industrial Aluminium Profile
- Alloy: 6063,6061,6005
- Material: Aluminum
- Surface Treatment: Mill Finished,Anodized ,Electrophoretic Coated,Powder Spray Coated
- Deep Process: Milling, Drilling, Bending,Cutting
- Temper: T4, T5, T6 ,T66
- Highlight: **aluminium extrusion frame system, custom aluminum extrusions**



Product Description

Description:Aluminum Assembly Line Industrial Aluminum Profile special fittings for aluminum profile

I

We have Germany imported machines and professional engineers.In this case,we can do high technics customized aluminium alloy extrusion and profile as per your drawings or samples.

Material	Alloy Aluminum 6063,6061,6005,6060 or customer nominated
Temper	T4, T5, T6
Surface	Anodize, electrophoresis, powder coating, PVDF coating, wood grain painting, matted, etc.
Colour	Any colour based on Standard Germany RAL Mark
Length	Coating 6.5 meters, Anodizing 6.5 meters
Press Machine	500-4000 tons all together 64 press lines.
Fabrication	1. Windows and doors; 2. Drilling; 3. Bending; 4. Cutting; 5. etc.
Certificate	ISO 9001
Warranty	1. GB5237-2008 equal to EN12020-1.2(2001);
	2. GB6892-2006 equal to DIN 1725
	3. Within 15 years without colour changing, all life without surface peeling off;
	4. All life without deformation without outer force
Moulding	1. Using our moulds, no fee;
	2. Using customer drawing, opening mould, usually about 10~50 tons then the moulding can be refunded.
	3. Mould cost is negotiable base on the order quantity
Capability	Annual output 100,000 tons

Order,payment,terms,shipment

- 1, Minimum order: 500kg per trial order 1 piece of sample free of charge provided by approval and kept for future mass production.
- 2, Sample Lead Time: 25 working days(15 days for making the tool and 10 days making the samples. Before sending the samples to customer, samples should pass strict test in our lab.) Production Lead time: it depends on customers' order quantity (30 working days after deposit).
- 3, Payment: (Can negotiate with customers, our usual practices are as follow)
- 4, Tooling:100% prepaid by T/T.
- 5, Parts:30% upon order confirmation and balance before delivery by T/T

Applications:

Mainly used for industrial production , such as automation equipment , enclosure of the skeleton and the companies according to their own customized mold machinery and equipment , such as assembly line conveyor , hoist, dispenser, testing equipment, shelves , etc., electronic machinery industries and clean room with a gain majority.

Competitive Advantage:

1. good quality aluminium profile with economic price
2. 15-year manufacturing experience
- 3 .ISO9000
4. ODM or OEM



FAQ For Saving Your Precious Time!

Q1:What's the thickness for anodizing?Can you do 15um?

A:Our normal thickness is about 10 um.Yes, we can do 15um and above.

Q2:What color you can do for powder coating?The thickness for powder coat?

A:We can do any color for powder coat as long as you can provide the color sample.Our normally powder coating thickness is 60-80um.

Q3:What color you can do for wood grain?

A:Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah I, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc.If you need any other colors, we can do according to the color samples you provide.

Q4:How's the weather resistance for wood grain finish D1010?

A:(1).Powder: Akzo Noble Interpon D1010.

(2).Wood grain film:Italian Memphis.

(3).Standard complied:American AAMA Standard.2603

(4).UV test:1000 hours.

(5).Salt spraying test:1000 hours.

(6).Normal weather:10 years color guarantee.

Q5:What certification do you have?What's your standard?

A:We have ISO certification.Our standard is DIN, AAMA, AS/NZS, China GB.

Q6:What's the delivery time for samples and mass production?

A:(1).2-3 weeks to make the new moulds and make free samples.

(2).3-4 weeks after receipt of deposit and confirmation of the order.

Tag :

custom extruded aluminum

