



## Powder Painted Aluminum Window Extrusion Profiles For Aluminum Side Hung Opening / Casement Window

Our Product Introduction

for more products please visit us on [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

### Basic Information

- Place of Origin: China
- Brand Name: HT
- Certification: CA ,CE
- Minimum Order Quantity: 1 ton
- Packaging Details: EP Paper ,kraft and pallet
- Delivery Time: 20days
- Payment Terms: T/T or L/C
- Supply Ability: 100 000 ton each month



### Product Specification

- Material: Aluminum Alloy
- Temper: T5 / T6
- Alloy: 6063 / 6061 / 6060
- Surface: Powder Painted
- Color: Customerized
- Standard: EN755, ASTM B221, DIN Standard
- Highlight: **aluminum extrusion profiles,  
profile aluminum extrusions**

## Product Description

### Description:

1. Window and Door Aluminum profile for European market
2. Simple and easy for installation.
3. Surface Finish: Anodized, Powder Coating or as your requested
4. Good wear and corrosion resistance
5. Smoothness, attractive and elegant looking to meet your preferences.
6. We provide One Package Service: Extruding, Milling, Drilling, Precise Cutting, Special surface treatment and packing, etc


1	Business type	Manufacturer
2	Standard:	GB 5237-2008
3	Product series	Aluminum profile for building material and industrial material
4	Price	Based on Aluminum Ingot price + processing Fee
5	Payment term	T/T, L/C at sight
6	Surface treatment	Anodizing, Powder coating, electrophoresis, wooden finish
7	Specification	A. Alloy: 6063, 6060, 6061, 6005 B. State: T5/T6 C. Length: 1m-7m D. Normal Anodizing thickness: 8-12 micro E. Normal powder coating thickness: 60-100 micro F. Tensile strength: $\geq 16$ mpa G. Yield strength: $\geq 110$ mpa H. Extensibility: $\geq 8\%$ I. Hardness(HW): $\geq 8$
8	Packing	Kraft paper, EPE Foam, Shrink film, Composite paper
9	MOQ	1ton
10	Delivery time	15-30 days if the mold is ready




Description	China Aluminium Window Extrusion Profiles For Aluminum Side-Hung Opening Casement Window	
Alloy/Temper	6063-T5/6060-T5; 6063-T6/6060-T6	
Surface treatment	Mill finishes; Anodized; Powder coated; Wooden grain, Machine/Acid polished and etc	SGS TEST APPROVAL
Standard apply	EN755; DIN; ASTM B221; GB5237-2008 and etc.	SGS TEST APPROVAL
Price	SMM/LME Primary aluminum price + the most competitive conversion cost	
Delivery timetable	sample: within 15 days; order: within 15 -20 days	SGS TEST APPROVAL
Payment term	20% deposit, the balance pay against B/L copy within 7 days	SGS TEST APPROVAL
Packing standard	Protected film and pearl cotton inside and shrink film outside	SGS TEST APPROVAL

## Window and Door's Design


We can DIY any type of aluminium windows and doors as your request, and our popular types are as below:




Single hung window



Awning window



Chain window



Sliding window



Tilt & Turn window




Folding window




Casement window



Circular window



Sliding door




Folding door



Casement door




Glass Louver



Lift sliding door

### Competitive Advantage:

1. Top Aluminium profile manufacturer for more than 10 years in China.
2. Diverse Products used in the fields of construction, industry and deep-processing.
3. Quality Control is put in the core position of our production.
4. Customized Production shows our capability in product design and process control.
5. Perfect Customer Services include careful packaging, quick delivery and good after-sale service.



Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421