



Aluminum Blinds Extrusion Profiles / Aluminum Extrusion Vertical Wind Turbine Blades

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: HT
- Certification: CA ,CE
- Minimum Order Quantity: 500set
- Packaging Details: Ep paper , pallet or wooden case
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000sets each month



Product Specification

- Product Name: Industrial Fan Blade
- Material: Aluminum
- Temper: T4, T5, T6 ,T66
- Surface: Anodize
- Machining: 1. Milling; 2. Drilling; 3. Bending; 4. Cutting ...
- Certificate: ISO14001:2004, ISO9001:2000
- Highlight: replacement fan blade, palm frond fan blades

Product Description

Aluminum Blinds / Industrial Fan Blade Extrusion Profiles / Aluminum Extrusion Vertical Wind Turbine Blades

We are professional in comtomizing different types of aluminum profiles with 15 years experience which are widely used in Industry ,Construction,Decoration, Furnitures, Windows and doors,.etc. .

We have more than 20000 moulds so far , and your samples or drawings are warmly welcomed to provided to us for customizing !

Description:

Material	alloy 6063 6005 6060 6061
Temper	T5, T6
Surface treatment	anodizing, powder coating, wooden grain, sand blasting etc.
Color	any color is available; just bring us your color sample or color number
Style and size	customized
Deep processing	extrude, precious cut, punch, drill, tap, mill, rivet, weld etc.
Extruding machine	600-2500tons
Minimum order	1 ton for 6063, others to be 5-10 tons
Price term	aluminum profile price calculated by ton. FOB SHANGHAI
Quality	High corrosion resistance, high weather resistance and excellent wear resistance
Price	The price differs according to the customized surface treatment.
Certificates	ISO9001-2008 Quality System and ISO14001-2004 Environment System, BV, Rohs
Standard of Quality	According to the standard of China "GB/T6892-2006 High Degree Standard" or "GB/T5237-2000"
Type	With 20 years' experience, we are able to produce any type of aluminium profile you need
Widely usage	Widely used in construction, decoration and varied industry fields
Annual output	20000-30000 metric tons' aluminium extrusion

Specifications:

Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2)Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

Competitive Advantage:

- 1)Engineering design and support.
- 2)Deeply processing of Industrial Fan Blade :cutting,punching,drilling,milling,and fabricating.
- 3)High Quality system, strictly inspection during production and whole inspection before package.
- 4)Good performance, product warranty for 15 years.

Applications:

Industrial Fan Blade used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.





+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421