



Silvery Powder Painted Exhaust Fan Blades / Aluminum Extrusion Profiles

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: HT
- Certification: CA ,CE
- Minimum Order Quantity: 500set
- Packaging Details: Ep paper , pallet or wooden case
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000sets each month



Product Specification

- Product Name: Fan Blade
- Item: Industrial Fan Blade
- Temper: T5, T6
- Surface: Powder Painted
- Material: Aluminum
- Machining: 1. Milling; 2. Drilling; 3. Bending; 4. Cutting
- Highlight: replacement fan blade, palm frond fan blades



Product Description

Silvery Powder Painted Exhaust Fan Blades / Aluminum Extrusion Profiles

Hentec Industry Co., Ltd is one China Manufactory, professional at aluminum extrusion profiles both semi and final products, such as Aluminum fan blade , LED aluminum bracket, aluminum door, aluminum window, aluminum curtain rod, aluminum guide rail, aluminum fencing and all kinds of industrial and building aluminum profile, square, round, flat, oval, angle, irregular and all types according to the customers' drawing.

A. Design and manufacture profiles of all sizes
B. Alloy: 6063/6061/6005/6060 T5/T6 are available
C. Finish: Anodizing, powder coating, wood clour(timber turning), polishing, brushed, mill finish available
D. Procedure: Preciously Cutting, milling, drilling, punching, CNC machining
E. OEM is welcome
Why we are your best choice:
• Reliable quality (ISO 9001:2000-certified).
• Competitive prices with short lead-time for both tooling and parts,
• we do everything in-house.
• Effective and strong technical supp commercial aluminum window frames ort and excellent sales service.
• Sufficient production capacity (only aluminum frame stage with plywood platform 6 aluminum frame structure aluminum frame carry-on luggage 5% occupied) rust-free aluminum frames .
• Efficient communication (48-hour q anodized aluminum picture frame uote lead time).

Specifications:

1. Primary Technical Data

1) Chemical composition

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

3. Surface Treatment of Sections

(Class)	(μm),not diminish than		acid-resistant			abrasion re sistance
	(Min- average fil m thickness)	(Min- part film thickness)	CASS		(S)	(f, g /μm)
			(h)	Class		
AA10	10	8	16	≥9	≥50	≥300
AA15	15	12	32	≥9	≥75	≥300
AA20	20	16	56	≥9	≥100	≥300
AA25	25	20	72	≥9	≥125	≥300

**Competitive Advantage:**

Manufacturing and exporting experience for over 15years. ISO 9001 approved.

Products are supplied to over 50 countries.

One-stop service for aluminum profiles.

In-house mold design and building capabilities.

No reclaimed material used to ensure high quality.

Strong advantage for aluminum machining , solar mounting system, LED profiles.

Keep secret to your idea and your design.

24 hours (two shifts) / 6 days for production.

Professional design team, mold maker engineer. OEM/ODM service.

Professional QC and R&D teams to assure high quality.

Professional sales team. Good English capabilities and communication skills.

No MOQ.

Prompt delivery. For prototype: 3-7 days. Production orders can be arranged specially to meet customer's urgent demands.

Geographical advantages: within 30 minutes to airport or sea port.



Tag :
ceiling fan blades profile
,Aluminum fan blades
axial fan blade

HENTEC Hentec Industry Co.,Ltd

+86-13861643436

aluminum@hentec.com.cn

aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421