# **OEM Aluminum Extrusion Profiles Extruded Aluminum Channel With Drilling /**

# **Cutting**

# **Basic Information**

. Place of Origin: China НТ . Brand Name:

CA ,CE ,ISO14001:2004, ISO9001:2000 Certification:

Minimum Order Quantity:

Packaging Details: Ep paper ,kraft ,pallet

Delivery Time: 20days T/T ,L/C • Payment Terms:

• Supply Ability: 100 000ton each month



# **Product Specification**

• Product Name: Industrial Aluminium Profile

• Alloy: 6063, 6061 • Material: Aluminum

Suface Treatment: Mill Finished, Anodized Powder

Coated, Drawbench, Steel Polished

• Deep Process: Milling, Drilling, Cutting

T5, T6 Temper:

· Highlight: modular aluminium profile system,

custom aluminum extrusions

# **Product Description**

#### **OEM Industrial Aluminum Profiles Production Line For Assembly Workshop**

We have Germany imported machines and professional engineers.In this case, we can do high technics customized aluminium alloy extrusion and profile as per your drawings or samples.

#### **Product Specification**

Item	Aluminium extrusion profile for Industrial assembly production line			
Material	Aluminium 6000 series alloy, such as 6061, 6063, 6082 etc.			
Temper	T4, T5, T6			
Thickness	General profile thickness:0.8-5.0mm; Anodized protection thickness: 8-25um; Powder coating color thickness: 40-120um.			
Size	3m-6m per piece, or customized.			
Shape	Square, flat, round, hollow, oval, triangle, U-profile, L-profile, T-profile, H-profile, customized available.			
Surface Treatment	Mill-finish, anodized, powder coated, electrophoresis, wood grain, timber, PVDF paint, polishing, brushed.			
Color	Silver, champagne, black, bronze, gold, white or customized			
Application	Window and door with thermal break strips, curtain wall, glass wall, furniture, ceiling, kitchen, LED strip, transportation rail, vehicle, motor housing, machine, tent, solar panel, industrial profile, decoration profile etc.			
Deep Process	CNC, drilling, milling, cutting, tapping, welding, bending, assembling.			
MOQ	500 kgs for each item, usually 13-15 tons for a 20GP, 25-28 tons for a 40HQ.			
OEM service	Drawing, sample or design service offer by customer.			
<b>Production Capacity</b>	2400-3000 Metric tons monthly.			
Brand Name	HENTEC			
Certificatesand Standard	1) ISO9001-2008/ISO 9001:2008; 2) CQM CERTIFICATES; 3) SGS, CE, BV, JIS, AS, NZS, QUALICOAT, QUOLANOD AVAILABLE.			
Guarantee	Surface color can be stable for 10-20 years indoor using.			
	Inside: pack with plastic protective film to protect each piece.			
Packing Details	Outside: wrap to bundle by waterproof craft paper or EPE film, or customized			
Delivery time	Die developing and sample testing: 12-18 days .			
Delivery time	Mass production: 25-30 days after confirming sample by buyer.			
FOB Port	Shanghai			
Payment Terms	T/T 30% for deposit, balance before delivery.			
Settlement Terms	Charge by final actual weight or by drawing theoretical weight.			



- 1. Material: 6063,6061,6060,etc.
- 2. Temper: T5 or T6
- 3. Finish: Mill finish, anodizing, powder coating, electrophoresis, wooden transfer or pvdf/carbon-flouride coated, polishing, brushing, sand blasting
- 4. Various colors: Silver, bronze, black, gold, blue,grey, champagne, bright, etc.
- 5. Machining: Cutting, punching, drilling, tapping, milling, bending, welding, CNC etc.
- 6. Various in styles and sizes:
- A) Aluminum alloy bars: 6000 series, normal material such as 6063,6005,6061,6060, special materials such as 6082 etc.
- B) Aluminum profiles:
- ---General aluminum profiles (various shapes of pipes/tubes, angles, T or U shapes etc.)
- --- Industrial aluminum profiles (TV frames, Rim for bicycles and motorcycles, Heat sink profiles, Furniture, Ladder, Guide Rail, Leisure materials, Shower Room, Solar Module Frame, Motor Shell, Pipeline Integration etc.)

- --- Construction aluminum profiles
- 7. Certification: ISO9001,SGS,ROHS,TUV
- 8. Strong technical development ability, can provide high intensity and high ductility aluminum profiles, to meet customers' different requirements.
- 9. OEM service available, customized design available

#### Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.



#### Specifications:

# 1. Primary Technical Data

#### 1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

#### 2)Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	Т6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	Т6	≥ 265Mpa	≥ 245Mpa	≥ 8%

公司图号	黄芪	载密度 kg/m
HT-745	10.2	1.292
HT-746	30	0.786
HT-747	50	2.524
HT-749	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.464
HT-750	7.2 40 6.2	0.808
HT-751	60 8.2 10.4	1.616

公司图号	黄茵	线密度 kg/m
HT-752	40	1.646
HT-753	80 8.2 10.2	2.952
HT-754	45 27 27 38.2	2.015
HT-767	25 25 25 25 25 25 25 25 25 25 25 25 25 2	1.522

#### Competitive Advantage:

- Engineering design and support.
  Aluminum profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
- 3) High Quality system, strictly inspection during production and whole inspection before package.
- 4) Good performance, product warranty for 15 years.

# **⇒HENTEC** Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421